

KONE SIGNALIZATION

CAR OPERATING PANEL (COP)

225



Swing COP



Full height COP Glass top panel



FACEPLATE FINISHING OPTIONS



Copper satin stainless steel



Silver mirror polished stainless steel**



Dark gray brushed stainless steel



Silver brushed stainless steel**

- *)

 ACS reader panel is optional
 - Key switches also available
- **)
 Faceplate options available for Swing COP

COP DISPLAYS



5.7 inch STN LCD



9 inch STN LCD



Dot matrix, White, red



LCD display for Swing COP only

LANGUAGE

- English
- Simplified Chinese
- Traditional Chinese

FACEPLATE MOUNTING

■ Flush mounted

KDS330 BUTTONS FOR COP AND LANDING DEVICES





Flush mounted, collar finishing silver





Surface mounted, collar finishing silver brushed st st











Other button options available for various code requirements

LANDING DEVICES

LANDING CALL STATION (LCS)

Flush mounted








Surface mounted Thickness 21 mm





LOCK MODULE

Surface mounted Thickness 21 mm




FACEPLATE MATERIALS

- Silver brushed stainless steel
- Silver mirror polished stainless steel
- Copper satin stainless steel
- Dark gray brushed stainless steel


LANDING CALL STATION WITH INDICATOR (LCI)

Flush mounted





Surface mounted Thickness 21 mm




HALL INDICATOR (HI)


FLUSH MOUNTED




Surface mounted Thickness 33 mm



HALL LANTERN (HL) FLUSH MOUNTED



Surface mounted Thickness 29 mm



DISPLAY TYPE/COLOR

- Segmented LCD: White
- Dot-matrix: White, red

LANGUAGE

- English
- Simplified Chinese
- Traditional Chinese

NOTE: LCD displays have icons, language options are for dot matrix

KONE Corporation www.kone.com